


T-45°

FICHE N°:	
Bedrijf:	
Project:	
Datum:	


Materiaal: HDPE 80 (hoge dichtheidspolyethyleen)

Uitvoering: PE

Klasse: BENOR volgens NBN EN 1519 t.e.m. Ø160



Code	d1/d2	x1	x2-x3	H
370.20.04004	40/40	45	90	135
370.20.05044	50/40	55	110	165
370.20.05004	50/50	55	110	165
370.20.95054	56/50	60	120	180
370.20.95004	56/56	60	120	180
370.20.06044	63/40	65	130	195
370.20.06054	63/50	65	130	195
370.20.06954	63/56	60	120	180
370.20.06004	63/63	65	130	195
370.20.07044	75/40	70	140	210
370.20.07054	75/50	70	140	210
370.20.07954	75/56	70	140	210
370.20.07064	75/63	70	140	210
370.20.07004	75/75	70	140	210
370.20.09044	90/40	80	160	240
370.20.09054	90/50	80	160	240
370.20.09064	90/63	80	160	240
370.20.09074	90/75	80	160	240
370.20.09004	90/90	80	160	240
370.20.11044	110/40	90	180	270
370.20.11054	110/50	90	180	270
370.20.11954	110/56	90	180	270
370.20.11064	110/63	90	180	270
370.20.11074	110/75	90	180	270
370.20.11094	110/90	90	180	270



Code	d1/d2	x1	x2-x3	H
370.20.11004	110/110	90	180	270
370.20.12054	125/50	100	200	300
370.20.12064	125/63	100	200	300
370.20.12074	125/75	100	200	300
370.20.12094	125/90	100	200	300
370.20.12114	125/110	100	200	300
370.20.12004	125/125	100	200	300
370.20.16114	160/110	125	250	375
370.20.16124	160/125	125	250	375
370.20.16004	160/160	125	250	375
370.20.20114	200/110	180	360	540
370.20.20164	200/160	180	360	540
370.20.20004	200/200	180	360	540
370.20.25114	250/110	220	440	660
370.20.25124	250/125	220	440	660
370.20.25164	250/160	220	440	660
370.20.25204	250/200	220	440	660
370.20.25004	250/250	220	440	660
370.20.31114	315/125	280	560	840
370.20.31124	315/125	280	560	840
370.20.31164	315/160	280	560	840
370.20.31204	315/200	280	560	840
370.20.31254	315/250	280	560	840
370.20.31004	315/315	280	560	840


T-45°

FICHE N°:	
Société:	
Projet:	
Date:	


Matériaux: HDPE 80 (polyéthylène haute densité)

Exécution: PE

Classe: BENOR suivant NBN EN 1519 jusqu'au Ø160



Code	d1/d2	x1	x2-x3	H
370.20.04004	40/40	45	90	135
370.20.05044	50/40	55	110	165
370.20.05004	50/50	55	110	165
370.20.95054	56/50	60	120	180
370.20.95004	56/56	60	120	180
370.20.06044	63/40	65	130	195
370.20.06054	63/50	65	130	195
370.20.06954	63/56	60	120	180
370.20.06004	63/63	65	130	195
370.20.07044	75/40	70	140	210
370.20.07054	75/50	70	140	210
370.20.07954	75/56	70	140	210
370.20.07064	75/63	70	140	210
370.20.07004	75/75	70	140	210
370.20.09044	90/40	80	160	240
370.20.09054	90/50	80	160	240
370.20.09064	90/63	80	160	240
370.20.09074	90/75	80	160	240
370.20.09004	90/90	80	160	240
370.20.11044	110/40	90	180	270
370.20.11054	110/50	90	180	270
370.20.11954	110/56	90	180	270
370.20.11064	110/63	90	180	270
370.20.11074	110/75	90	180	270
370.20.11094	110/90	90	180	270



Code	d1/d2	x1	x2-x3	H
370.20.11004	110/110	90	180	270
370.20.12054	125/50	100	200	300
370.20.12064	125/63	100	200	300
370.20.12074	125/75	100	200	300
370.20.12094	125/90	100	200	300
370.20.12114	125/110	100	200	300
370.20.12004	125/125	100	200	300
370.20.16114	160/110	125	250	375
370.20.16124	160/125	125	250	375
370.20.16004	160/160	125	250	375
370.20.20114	200/110	180	360	540
370.20.20164	200/160	180	360	540
370.20.20004	200/200	180	360	540
370.20.25114	250/110	220	440	660
370.20.25124	250/125	220	440	660
370.20.25164	250/160	220	440	660
370.20.25204	250/200	220	440	660
370.20.25004	250/250	220	440	660
370.20.31114	315/125	280	560	840
370.20.31124	315/125	280	560	840
370.20.31164	315/160	280	560	840
370.20.31204	315/200	280	560	840
370.20.31254	315/250	280	560	840
370.20.31004	315/315	280	560	840