

TERRACOTTA

Heating, Ventilation and
Roofing Products

Trade Price List | March 1st 2019 Rev1



Hepworth

TERRACOTTA

Contents

Introduction to Hepworth Terracotta	2-3
Key to abbreviations	2
Acceptance	3
Quick Guide	4-5
Quick Guide – Top Selling Terracotta Items	4-5
Flue Liners	6-7
Class A1 – Flue Liners and Bends	6-7
Chimney Pots	8-9
Chimney Pots	8-9
Ventilation Terminals	10
Ventilation Terminals	10
Fireplace	11-12
Fireplace Throat Units	11-12
Gas Terminals	13
Gas Terminals	13
Ridge Tiles	14-15
Angled Ridge Tiles	14-15
NEW Bulk Purchase Ridge Tiles	15
Airbricks	16
Airbricks	16
Numerical Index	17-18
Notes	19
Important Notes	20
Quality Assurance	20
Contact	20

Introduction to

Hepworth Terracotta

Hepworth Terracotta offers a comprehensive range of products for the construction and ventilation of domestic flue and chimney systems including a range of chimney pots, ventilation terminals, gas terminals, ridge tiles and air bricks.

Key to abbreviations

B	Buff
R	Red
X	Blue/Black
CE	CE Mark

Important Notes

Where appropriate, the colour code is shown at the end of the Catalogue Number in the listing of Top Selling Items shown on pages 4 – 5.

Product photos are for example only and not representative of every fitting size.

Acceptance

a) British Standards Institution

Round and Square Flue Liners to BS EN 1457-1:2012 - Classification - A1.

Flue Liner Terminals to BS EN 13502:2002. BSI Group (Testing) for Aerodynamic Behaviour and Flow Resistance.

Decorative Chimney Pots and Ventilation Terminals to BS 1181: 1989 - Type B.

Concrete Fireplace components to BS 1251:1987.

Gas Terminals to BS EN 13502:2002. BSI Group (Testing) for Aerodynamic Behaviour and Flow Resistance.

Ridge Tiles to BS 402: Part 1:1990.

Airbricks to BS 493:1995.

b) CE Mark

CE – From the 1st July 2013, the Construction Products Regulation (CPR) will come into force. It will be mandatory for any construction product covered by a harmonised European Norm (hEN) containing a 'ZA' annex to have a Declaration of Performance (DoP) and an accompanying CE mark.

Wavin will affix the CE mark to the actual product, and or product packaging. Individual products covered by a CE mark are also identified in the appropriate trade price list. (August 2013 onwards) The specific DoP and CE mark details can be found and downloaded via the following link:

www.wavin.co.uk

Quick Guide – Top Selling Terracotta Items

Airbricks

Sales Rank		Product Cat No	Page
1	Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Red	YA13R	16
2	Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Red	YA14R	16
3	Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Buff	YA13B	16
4	Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Buff	YA14B	16
5	Airbrick, 215 x 215 x 50mm, Square Hole, Colour: Red	YA15R	16

Cavity Liners

Sales Rank		Product Cat No	Page
1	Cavity Liner, 215 x 65 x 200mm	YB11	16
2	Cavity Liner, 215 x 140 x 200mm	YB13	16
3	Cavity Liner, 215 x 215 x 200mm	YB15	16

Commissioning Pack

Sales Rank		Product Cat No	Page
1	Chimney Notice Plate & Certificate (As required by Building Regulations 2010 ADJ)	YPLATE1	7

Chimney Pots

Sales Rank		Product Cat No	Page
1	Roll Top, 300mm high, Colour: Red	YM17R	8
2	Roll Top, 450mm high, Colour: Red	YM19R	8
3	Cannon Head, 300mm high, Colour: Red	YM11R	8
4	Roll Top, 600mm high, Colour: Red	YM20R	8
5	Cannon Head, 450mm high, Colour: Red	YM13R	8

Firebacks

Sales Rank		Product Cat No	Page
1	Milner Scored Fireback, 400mm	Y124	11
2	Milner Scored Fireback, 450mm	Y125	11

Firebricks

Sales Rank		Product Cat No	Page
1	Firebrick, 64mm	Y135	11
2	Firebrick, 76mm	Y136	11
3	Firebrick, 52mm	Y134	11
4	Firebrick, 38mm	Y133	11
5	Firebrick, 25mm	Y132	11

Quick Guide – Top Selling Terracotta Items

Fireplace Lintels & Adaptors

Sales Rank		Product Cat No	Page
1	Fireplace Lintel Y0600 for use with 600mm fireplace openings	Y0600	11
2	Flue Adaptor for 225mm round dia. flue liners	Y0225R	11
3	Corbel unit, 800mm	Y0800	11
4	Corbel unit, 1000mm	Y1000	11
5	Flue Adaptor for 250mm round dia. flue liners	Y0250R	11

Flue Liners (Class A1)

Sales Rank		Product Cat No	Page
1	Class A1 Flue Liner, 300mm long, 225mm dia. round	YE11C1	6
2	Class A1 Flue Liner, 300mm long, 185mm dia. round	YD11C1	6
3	Class A1 Flue Liner, 300mm long, 225mm square	YH18C1	6
4	Class A1 Flue Liner, 22.5° bend, 225mm dia. round	YE14C1	6
5	Class A1 Flue Liner, 300mm long, 300mm dia. round	YF16C1	6

Flue System Jointing Compound

Sales Rank		Product Cat No	Page
1	Sealant Cartridge, 300ml (will make approx. 4 x joints)	Y108	7

Gas Terminals

Sales Rank		Product Cat No	Page
1	Stell 150 Gas Terminal, 205mm ext. dia. Colour: Red	YK23R	13
2	Stell 125 Gas Terminal, 160mm ext. dia. Colour: Blue/Black	YK18X	13
3	Stell 150 Gas Terminal, 180mm ext. dia. Colour: Buff	YK22B	13

Ridge Tiles

Sales Rank		Product Cat No	Page
1	Capped Angle Ridge Tile, 450mm long, 105°, Col: Blue/Black	YR54X	14
2	Capped Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black	YR53X	14
3	Capped Angle Ridge Tile, 450mm long, 115°, Col: Blue/Black	YR55X	14
4	Capped Angle Ridge Tile, 450mm long, 105°, Col: Red	YR54R	14
5	Plain Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black	YR17X	14













































Ventilation Terminals

Sales Rank		Product Cat No	Page
1	Fluvent, 190mm high, 180mm spigot dia, Colour: Red	YL12R	10
2	Bonnet Insert, 285mm high, 180mm spigot dia, Colour: Red	YL19R	10
3	Fluvent, 190mm high, 160mm spigot dia, Colour: Red	YL11R	10
4	Fluvent, 190mm high, 180mm spigot dia, Colour: Buff	YL12B	10
5	Mushroom Top, 180mm spigot dia, Colour: Red	YL15R	10

Hepworth

TERRACOTTA










Flue Liners

Description		Nom mm	Cat No	Pack Qty	Price Each £
		Height			
	Class A1 Round Straight Liners				
	125mm Internal Diameter 	300	YC10C1	26	19.82
	150mm Internal Diameter 	300	YC16C1	39	21.94
	185mm Internal Diameter 	180	YD10C1	25	24.26
	185mm Internal Diameter 	300	YD11C1	25	23.31
	210mm Internal Diameter 	180	YD17C1	40	27.60
	210mm Internal Diameter 	300	YD18C1	40	30.41
	225mm Internal Diameter 	180	YE10C1	32	31.97
	225mm Internal Diameter 	300	YE11C1	32	31.30
	250mm Internal Diameter 	180	YF10C1	32	37.35
	250mm Internal Diameter 	300	YF11C1	32	58.18
	300mm Internal Diameter 	180	YF15C1	18	62.48
	300mm Internal Diameter 	300	YF16C1	18	84.33
	Class A1 Round 22¹/₂° Bend				
	125mm Internal Diameter 		YC13C1	26	50.15
	150mm Internal Diameter 		YC19C1	39	51.96
	185mm Internal Diameter 		YD14C1	25	56.60
	210mm Internal Diameter 		YD21C1	20	105.80
	225mm Internal Diameter 		YE14C1	16	80.02
	250mm Internal Diameter 		YF12C1	16	132.63
	300mm Internal Diameter 		YF17C1	9	202.35
	Class A1 Round 30° Bend				
	125mm Internal Diameter 		YC14C1	26	50.15
	150mm Internal Diameter 		YC20C1	39	51.96
	185mm Internal Diameter 		YD15C1	25	58.77
	210mm Internal Diameter 		YD22C1	20	105.80
	225mm Internal Diameter 		YE15C1	16	83.01
	250mm Internal Diameter 		YF13C1	16	132.63
	300mm Internal Diameter 		YF18C1	9	202.35
	Class A1 Round 37¹/₂° Bend				
	185mm Internal Diameter 		YD16C1	25	58.77
	225mm Internal Diameter 		YE16C1	16	82.99
	300mm Internal Diameter 		YF19C1	9	202.35
		Height			
	Class A1 Square Straight Liners				
	185mm x 185mm Internal 	180	YG10C1	25	26.03
	185mm x 185mm Internal 	300	YG11C1	25	30.19
	225mm x 225mm Internal 	180	YH17C1	32	43.66
	225mm x 225mm Internal 	300	YH18C1	32	53.15
	300mm x 300mm Internal 	180	YJ15C1	18	84.95
	300mm x 300mm Internal 	300	YJ16C1	18	111.01
	Class A1 Square 22¹/₂° Bend				
	185mm x 185mm Internal 		YG14C1	25	73.50
	225mm x 225mm Internal 		YH21C1	16	135.09
	300mm x 300mm Internal 		YJ17C1	9	221.43

Hepworth

TERRACOTTA

Flue Liners





Description		Nom mm	Cat No	Pack Qty	Price Each £
	Class A1 Square 30° Bend				
	185mm x 185mm Internal 		YG15C1	25	76.22
	225mm x 225mm Internal 		YH22C1	16	140.08
	300mm x 300mm Internal 		YJ18C1	9	340.09
	Class A1 Square 37 1/2° Bend				
	185mm x 185mm Internal 		YG16C1	25	73.50
	225mm x 225mm Internal 		YH23C1	18	135.09
	Flue System Jointing Compound Suitable for Clay Flue Liners and Gas Flue Blocks. Will make approx. 4 joints on 225mm diameter flue liners. (300ml cartridge, gun not included)	300ml	Y108	12	21.15
	Chimney Commissioning Pack (As required by the Building Regulations 2010 Approved Document J) Contents – <ul style="list-style-type: none"> • 110mm x 105mm Aluminium Notice Plate • Special Marker Pen • Checklist Certificate and Explanatory Notes • Class A1 'Flue Size Selector' – Guide and Technical Information 		YPLATE1		20.81

Note: Flue Liners should be installed with the socket facing upwards.

Hepworth

TERRACOTTA



Chimney Pots

Description		Size mm	Cat No	Pack Qty	Price Each £
		Height			
	Decorative Fuel Effect Pot For installation details please refer to BS 5871 Part 3 2005.	580	YK10R	12	166.46
		580	YK10B	12	166.46
		580	YK10X	12	199.94
	Barrel Pot For installation details please refer to BS 5871 Part 3 2005.	600	YK12R	-	466.42
	Cannon Head	300	YM11R	48	65.62
		300	YM11B	48	65.62
		300	YM11X	48	70.82
		375	YM12R	32	80.91
		375	YM12B	32	80.91
		375	YM12X	32	87.24
		450	YM13R	32	80.91
		450	YM13B	32	80.91
		450	YM13X	32	85.01
		600	YM14R	16	120.38
		600	YM14B	16	120.38
		600	YM14X	16	129.95
	Roll Top	300	YM17R	48	49.11
		300	YM17B	48	49.11
		300	YM17X	48	52.93
		375	YM18R	32	60.02
		375	YM18B	32	60.02
		375	YM18X	32	63.09
		450	YM19R	32	58.55
		450	YM19B	32	58.55
		450	YM19X	32	63.19
		600	YM20R	16	89.71
		600	YM20B	16	89.71
		600	YM20X	16	94.19
		750	YM21R	16	126.62
		750	YM21B	16	126.62
		750	YM21X	16	136.62
		900	YM22R	16	169.66
		900	YM22B	16	169.66
		900	YM22X	16	182.91

Hepworth

TERRACOTTA




Chimney Pots

Description		Size mm	Cat No	Pack Qty	Price Each £
	Octagon Pot	Height			
		600	YQ11B	12	637.08
		750	YQ12B	12	684.45
		900	YQ13B	12	796.08
	Rook	500	YQ35R	16	260.93
		500	YQ35B	16	290.50
		500	YQ35X	16	305.11

Hepworth

TERRACOTTA

Ventilation Terminals

Description		Size mm	Cat No	Pack Qty	Price Each £
		Spigot Dia.			
	Fluvent				
	Ventilates redundant flues only.	135	YL10R	48	73.98
		135	YL10B	48	73.98
		135	YL10X	48	92.58
		160	YL11R	48	69.18
		160	YL11B	48	69.18
		160	YL11X	48	86.39
		180	YL12R	48	67.30
		180	YL12B	48	67.30
		180	YL12X	48	72.87
		205	YL13R	36	73.98
		205	YL13B	36	73.98
		205	YL13X	36	80.16
		235	YL14R	36	73.98
		235	YL14B	36	73.98
		235	YL14X	36	92.58
	Mushroom Top				
	Ventilates redundant flues only.	180	YL15R	12	76.76
		180	YL15B	12	76.76
	Bonnet Insert				
	Ventilates redundant flues only.	135	YL17R	27	70.15
		135	YL17B	27	78.13
		135	YL17X	27	84.17
		160	YL18R	27	70.15
		160	YL18B	27	78.13
		160	YL18X	27	84.17
		180	YL19R	27	65.80
		180	YL19B	27	68.29
		180	YL19X	27	73.66
		205	YL20R	21	72.03
		205	YL20B	21	80.17
		205	YL20X	21	84.17

Warning: These terminals are not approved for use on operational flues (i.e. gas, oil, solid fuels). If a flue or chimney is brought back into operation and has a ventilation terminal in place, it should either be removed or replaced with a suitable pot or terminal appropriate to its new use and fuel type.










Recommended Chimney Pot and Ventilation Terminal combinations

Chimney Pot Top ID	Ventilation Terminal Spigot OD
150mm	135mm
185mm	160mm
210mm	180mm
225mm	205mm
250mm	235mm
300mm	N/A

Hepworth

TERRACOTTA


Fireplace

Description		Size mm	Cat No	Pack Qty	Price Each £
		W x H x D			
	Fireplace Lintel 600 For use with fireplace openings up to 600mm wide. Note: The Fireplace Lintel 600 must be used with the appropriate flue liner adaptor from 185mm to 300mm round or 185mm to 225mm square.	800x 215x560	Y0600		221.10
	800mm Corbel Unit for Fireplace System For use with fireplace openings up to 800mm wide.	1000x 140x560	Y0800		208.08
	1000mm Corbel Unit for Fireplace System For use with fireplace openings up to 1000mm wide.	1200x 140x560	Y1000		260.10
	Flue Adaptor for Fireplace System – Round 185mm Round	580x 100x450	Y0185R		113.93
	210mm Round	580x 100x450	Y0210R		113.93
	225mm Round	580x 100x450	Y0225R		113.93
	250mm Round	580x 100x450	Y0250R		149.64
	300mm Round	580x 100x450	Y0300R		149.64
	Flue Adaptor for Fireplace System – Square 185mm Square	580x 100x450	Y0185S		113.93
	225mm Square	580x 100x450	Y0225S		131.85
		Width			
	Milner Scored Fireback 400 450		Y124 Y125		118.60 142.76
	Throat Restrictor 400 450		Y128 Y129		38.09 48.55
	Otty Hood 400 450		Y130 Y131		74.55 79.23
		Height			
	Firebricks All items are 230mm wide x 114mm deep	25 38 52 64 76	Y132 Y133 Y134 Y135 Y136	100 100 100 100 100	5.59 5.61 5.83 5.79 6.08

Hepworth

TERRACOTTA



Fireplace

Description		Size mm	Cat No	Pack Qty	Price Each £
		Weight			per bag
	Fireclay				
	Note: Fireclay should not be used for jointing flue liners.	25 kg	Y137	1	36.69

Hepworth

TERRACOTTA

Gas Terminals

Description		Size mm	Cat No	Pack Qty	Price Each £
		Height			
	Stell 125 Gas Terminal 160mm Ext. Dia. CE	345	YK18R	25	115.24
		345	YK18B	25	115.24
		345	YK18X	25	136.70
	180mm Ext. Dia. CE	345	YK19R	25	112.18
		345	YK19B	25	112.18
		345	YK19X	25	125.07
	Stell 150 Gas Terminal 180mm Ext. Dia. CE	420	YK22R	25	146.14
		420	YK22B	25	146.14
		420	YK22X	25	173.32
	205mm Ext. Dia. CE	420	YK23R	25	168.31
		420	YK23B	25	168.31

Warning: Stell Gas Terminals are not suitable for use with solid fuel appliances or decorative fuel effect gas fires and inset live fuel effect gas fires, requiring a minimum 175mm diameter flue.




Recommended Chimney Pot and Gas Terminal combinations

Chimney Pot Top ID	Gas Terminal Spigot OD
185mm	160mm
210mm	180mm
225mm	205mm

Hepworth

TERRACOTTA

Ridge Tiles

Description		Angle	Cat No	Pack Qty	Price Each £
		Degree			
	Plain Angle				
	Length 450mm	75°	YR16R	100	24.02
			YR16B	100	24.02
			YR16X	100	25.14
	Length 450mm	90°	YR17R	100	23.11
			YR17B	100	23.11
			YR17X	100	24.19
	Length 450mm	105°	YR18R	100	23.11
			YR18B	100	23.11
			YR18X	100	24.19
	Length 450mm	115°	YR19R	100	23.11
			YR19B	100	23.11
			YR19X	100	24.19
	Length 450mm	125°	YR20R	100	23.11
			YR20B	100	23.11
			YR20X	100	24.19
	Length 450mm	135°	YR21R	100	24.02
			YR21B	100	24.02
			YR21X	100	25.14
	Capped Angle				
	Length 450mm	75°	YR52R	100	25.89
			YR52B	100	28.41
			YR52X	100	27.15
	Length 450mm	90°	YR53R	100	24.96
			YR53B	100	24.96
			YR53X	100	26.21
	Length 450mm	105°	YR54R	100	24.96
			YR54B	100	24.96
			YR54X	100	26.21
	Length 450mm	115°	YR55R	100	24.96
			YR55B	100	24.96
			YR55X	100	26.21
	Length 450mm	125°	YR56R	100	24.96
			YR56B	100	24.96
			YR56X	100	26.21
	Length 450mm	135°	YR57R	100	25.89
			YR57B	100	25.89
			YR57X	100	27.15
	Roll Top Ridge*				
	Length 450mm	75°	YT16R	50	65.97
			YT16X	50	69.30
	Length 450mm	90°	YT17R	50	58.63
			YT17X	50	61.56
	Length 450mm	105°	YT18R	50	58.63
			YT18X	50	61.56
	Length 450mm	115°	YT19R	50	65.97
			YT19X	50	69.30
	Length 450mm	125°	YT20R	50	65.97
			YT20X	50	69.30
	Length 450mm	135°	YT21R	50	65.97
			YT21X	50	61.71




Cat. No. Colour Suffix: R = Red, B = Buff, X = Blue/Black

Ridge tiles can be ordered in singles unless otherwise indicated.



Hepworth

TERRACOTTA

Ridge Tiles

Description		Angle	Cat No	Pack Qty	Price Each £
		Degree			
	Two Hole Crested Ridge*				
	Length 300mm	90°	YU17R	50	74.74
	Length 300mm	105°	YU18R	50	74.74
	Club Crested Ridge*				
	Length 300mm	90°	YU23R	50	74.74
	Length 300mm	105°	YU24R	50	74.74
	Coxcomb Crested Ridge*				
	Length 300mm	90°	YU29R	50	67.90
	Length 300mm	105°	YU30R	50	67.90

* These products are subject to extended lead times.




Description		Angle	Cat No	Pack Qty	Price Each £
		Degree			
	Plain Angle – Pallet Qty^				
	Length 450mm	90°	YR67R	100	14.91
			YR67X	100	15.22
	Length 450mm	105°	YR68R	100	14.91
			YR68X	100	15.22
	Length 450mm	115°	YR69R	100	14.91
			YR69X	100	15.22
	Capped Angle – Pallet Qty^				
	Length 450mm	90°	YR73R	100	15.53
			YR73X	100	15.85
	Length 450mm	105°	YR74R	100	15.53
			YR74X	100	15.85
	Length 450mm	115°	YR75R	100	15.53
			YR75X	100	15.85
	Length 450mm	125°	YR76R	100	15.53
			YR76X	100	15.85

^ These products can only be purchased in pallet quantities of 100.

Hepworth

TERRACOTTA

Airbricks

Description		Size mm	Cat No	Pack Qty	Price Each £
		W x H			
	Square Hole	215x65	YA13R	100	4.48
			YA13B	100	4.48
			YA13X	100	5.55
		215x140	YA14R	105	6.65
			YA14B	105	6.65
			YA14X	105	8.43
		215x215	YA15R	50	16.73
			YA15B	50	16.73
			YA15X	50	19.14
	Louvered Hole	215x65	YA16R	100	5.20
			YA16B	100	5.20
			YA16X	100	6.64
		215x140	YA17R	105	8.51
			YA17B	105	8.51
			YA17X	105	10.90
	Cavity Liners	W x H x D			
		215x65 x200	YB11	100	8.09
		215x140 x200	YB13	80	8.97
		215x215 x200	YB15	30	23.09

Numerical Index

Cat No	Price Each £	Page No	Cat No	Price Each £	Page No	Cat No	Price Each £	Page No
Y0600	221.10	11	YD18C1	30.41	6	YL12R	67.30	10
Y108	21.15	7	YD21C1	105.80	6	YL12X	72.87	10
Y124	118.60	11	YD22C1	105.80	6	YL13B	73.98	10
Y125	142.76	11	YE10C1	31.97	6	YL13R	73.98	10
Y128	38.09	11	YE11C1	31.30	6	YL13X	80.16	10
Y129	48.55	11	YE14C1	80.02	6	YL14B	73.98	10
Y130	74.55	11	YE15C1	83.01	6	YL14R	73.98	10
Y131	79.23	11	YE16C1	82.99	6	YL14X	92.58	10
Y132	5.59	11	YF10C1	37.35	6	YL15B	76.76	10
Y133	5.61	11	YF11C1	58.18	6	YL15R	76.76	10
Y134	5.83	11	YF12C1	132.63	6	YL15X	80.57	10
Y135	5.79	11	YF13C1	132.63	6	YL17B	78.13	10
Y136	6.08	11	YF15C1	62.48	6	YL17R	70.15	10
Y137	36.69	12	YF16C1	84.33	6	YL17X	84.17	10
Y0185R	113.93	11	YF17C1	202.35	6	YL18B	78.13	10
Y0185S	113.93	11	YF18C1	202.35	6	YL18R	70.15	10
Y0210R	113.93	11	YF19C1	202.35	6	YL18X	84.17	10
Y0225R	113.93	11	YG10C1	26.03	6	YL19B	68.29	10
Y0225S	131.85	11	YG11C1	30.19	6	YL19R	65.80	10
Y0250R	149.64	11	YG14C1	73.50	6	YL19X	73.66	10
Y0300R	149.64	11	YG15C1	76.22	7	YL20B	80.17	10
Y0800	208.08	11	YG16C1	73.50	7	YL20R	72.03	10
Y1000	260.10	11	YH17C1	43.66	6	YL20X	84.17	10
YA13B	4.48	16	YH18C1	53.15	6	YM11B	65.62	8
YA13R	4.48	16	YH21C1	135.09	6	YM11R	65.62	8
YA13X	5.55	16	YH22C1	140.08	7	YM11X	70.82	8
YA14B	6.65	16	YH23C1	135.09	7	YM12B	80.91	8
YA14R	6.65	16	YJ15C1	84.95	6	YM12R	80.91	8
YA14X	8.43	16	YJ16C1	111.01	6	YM12X	87.24	8
YA15B	16.73	16	YJ17C1	221.43	6	YM13B	80.91	8
YA15R	16.73	16	YJ18C1	340.09	7	YM13R	80.91	8
YA15X	19.14	16	YK10B	166.46	8	YM13X	85.01	8
YA16B	5.20	16	YK10R	166.46	8	YM14B	120.38	8
YA16R	5.20	16	YK10X	199.94	8	YM14R	120.38	8
YA16X	6.64	16	YK12R	466.42	8	YM14X	129.95	8
YA17B	8.51	16	YK18B	115.24	13	YM17B	49.11	8
YA17R	8.51	16	YK18R	115.24	13	YM17R	49.11	8
YA17X	10.90	16	YK18X	136.70	13	YM17X	52.93	8
YB11	8.09	16	YK19B	112.18	13	YM18B	60.02	8
YB13	8.97	16	YK19R	112.18	13	YM18R	60.02	8
YB15	23.09	16	YK19X	125.07	13	YM18X	63.09	8
YC10C1	19.82	6	YK22B	146.14	13	YM19B	58.55	8
YC13C1	50.15	6	YK22R	146.14	13	YM19R	58.55	8
YC14C1	50.15	6	YK22X	173.32	13	YM19X	63.19	8
YC16C1	21.94	6	YK23B	168.31	13	YM20B	89.71	8
YC19C1	51.96	6	YK23R	168.31	13	YM20R	89.71	8
YC20C1	51.96	6	YL10B	73.98	10	YM20X	94.19	8
YD10C1	24.26	6	YL10R	73.98	10	YM21B	126.62	8
YD11C1	23.31	6	YL10X	92.58	10	YM21R	126.62	8
YD14C1	56.60	6	YL11B	69.18	10	YM21X	136.62	8
YD15C1	58.77	6	YL11R	69.18	10	YM22B	169.66	8
YD16C1	58.77	6	YL11X	86.39	10	YM22R	169.66	8
YD17C1	27.60	6	YL12B	67.30	10	YM22X	182.91	8

Numerical Index

Cat No	Price Each £	Page No	Cat No	Price Each £	Page No
YPLATE1	20.81	7	YR75R	15.53	15
YQ11B	637.08	9	YR75X	15.85	15
YQ12B	684.45	9	YR76R	15.53	15
YQ13B	796.08	9	YR76X	15.85	15
YQ35B	290.50	9	YT16R	65.97	14
YQ35R	260.93	9	YT16X	69.30	14
YQ35X	305.11	9	YT17R	58.63	14
YR16B	24.02	14	YT17X	61.56	14
YR16R	24.02	14	YT18R	58.63	14
YR16X	25.14	14	YT18X	61.56	14
YR17B	23.11	14	YT19R	65.97	14
YR17R	23.11	14	YT19X	69.30	14
YR17X	24.19	14	YT20R	65.97	14
YR18B	23.11	14	YT20X	69.30	14
YR18R	23.11	14	YT21R	65.97	14
YR18X	24.19	14	YT21X	61.71	14
YR19B	23.11	14	YU17R	74.74	15
YR19R	23.11	14	YU18R	74.74	15
YR19X	24.19	14	YU23R	74.74	15
YR20B	23.11	14	YU24R	74.74	15
YR20R	23.11	14	YU29R	67.90	15
YR20X	24.19	14	YU30R	67.90	15
YR21B	24.02	14			
YR21R	24.02	14			
YR21X	25.14	14			
YR52B	28.41	14			
YR52R	25.89	14			
YR52X	27.15	14			
YR53B	24.96	14			
YR53R	24.96	14			
YR53X	26.21	14			
YR54B	24.96	14			
YR54R	24.96	14			
YR54X	26.21	14			
YR55B	24.96	14			
YR55R	24.96	14			
YR55X	26.21	14			
YR56B	24.96	14			
YR56R	24.96	14			
YR56X	26.21	14			
YR57B	25.89	14			
YR57R	25.89	14			
YR57X	27.15	14			
YR67R	14.91	15			
YR67X	15.22	15			
YR68R	14.91	15			
YR68X	15.22	15			
YR69R	14.91	15			
YR69X	15.22	15			
YR73R	15.53	15			
YR73X	15.85	15			
YR74R	15.53	15			
YR74X	15.85	15			

Hepworth

TERRACOTTA

Notes

Important Notes

All purchases are subject to our standard terms and conditions of sale, available at **www.wavin.co.uk** or call for a copy.

Prices are subject to VAT at the current rate.

Free delivery is subject to minimum order values as stated in your Wavin agreement.

Wavin offers a programme of continuous improvement and reserves the right to modify the specification of products without notice.

All information in this publication is believed to be correct at time of going to press. However, no responsibility can be accepted for any errors or omissions.

Quality Assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2015, Certificate No. 42231.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001: 2015.

Contact

Orders and enquiries

T: 0844 856 5152

Literature requests

E: literature@wavin.co.uk

Technical advice

T: 0844 856 5165

E: terracotta@hepworth.co.uk

Address

Wavin Limited
Edlington Lane
Edlington
Doncaster
South Yorkshire
DN12 1BY

CE marking has changed...

As of the 1st July 2013, the Construction Products Regulation (CPR) came into force.

It is mandatory for any construction product covered by a harmonised European Norm (hEN) to have a Declaration of Performance (DoP) and an accompanying CE mark.

The product standards and ranges covered by the CPR and identified in this price list are:

BS EN 1457-1:2012

Round and square flue liners

BS EN 13502:2002

Stell Gas terminals



Wavin Limited

Edlington Lane, Edlington, Doncaster,
South Yorkshire DN12 1BY

www.hepworthterracotta.co.uk

