

Wavin TS DOQ®

# Long life bite- and crack resistance

15 YEARS WITH NO COMPLAINTS



CONNECT TO BETTER




# Wavin TS<sup>DOQ®</sup>

## Stays tightly. Stays effective.

## Confirmed in 1st place.

### 3 layer

Integrated protective properties by coextrusion – no additional coating layers



World market leader

## No. 1

Over 20 million metres of pipe installed since the year 2000

## 100

Years of safety

Full life span in any bedding

When maximum safety is required, decision-makers rely on the extremely robust Wavin TS<sup>DOQ®</sup>. The world's best selling three-layer

PE 100-RC system. Suitable for all trenchless installation methods.

### Welcome to world market leader No. 1.

Wavin TS<sup>DOQ®</sup> is the only coextruded three-layer pipe on the market. With a coloured inner and outer protective layer and a black middle layer.

These are the impressive properties:

- ⊙ Use of unique PE 100-RC, the new TS<sup>DOQ</sup> N 8000 material.
- ⊙ The outer layer protects from damage, the inner layer protects the TS<sup>DOQ®</sup> pipe from stress cracks.
- ⊙ Inspection-friendly inner surfaces for TV inspections.

- ⊙ Even with exceptional damage of 20% to the outer layer, the TS<sup>DOQ®</sup> pipe has durability of at least 100 years.
- ⊙ TS<sup>DOQ®</sup> is directly workable for all sleeve electrofusion couplers and butt welds.



Guaranteed to be unique. For 100 years.

The protective properties are significantly above the requirements of PAS 1075. In the production of Wavin TS<sup>DOQ</sup>, each material batch is checked by an independent authority for an FNCT value  $\geq 8760$  hours and documented continuously. To this end, we offer a liability agreement of 10 years.

Over 20 million metres of pipe installed since 2000 are an impressive result for Wavin TS<sup>DOQ</sup>. The DOQumented quality (DOQ) is ensured with additional external monitoring of the pipe production.



Quality assurance from accredited testing authority  
Hessel Ingenieurtechnik

## Register once, benefit forever.

### UNIQUE

With the new PE 100-RC material, TS<sup>DOQ</sup> N 8000 material, Wavin TS<sup>DOQ</sup> remains unique and offers full durability in any bedding.

### CONSTRUCTION SITE REPORTS

Read exclusively how safely and economically Wavin TS<sup>DOQ</sup> can be installed with all trenchless construction methods.


### CALCULATION TOOLS

Whether you wish to calculate tensile forces or to determine parameters for the receiving pit, our convenience tools make your work easier.

Register for use now easily and for free:  
[www.wavin-ts.de](http://www.wavin-ts.de)



More about our system solutions at  
[www.wavin.de](http://www.wavin.de)



Water management | Heating and cooling | Water and gas supply | Waste water disposal | Cable protection

Wavin GmbH

Industriestraße 20 | 49767 Twist | Germany

T 05936 12-0 | F 05936 12-211

[info@wavin.de](mailto:info@wavin.de) | [www.wavin.de](http://www.wavin.de)



CONNECT TO BETTER