

Trade Price List 1st June 2021

Push-Fit Plumbing & Underfloor Heating

wavin Hep₂O

www.hep2o.co.uk

wavin

Contents

	Page
Introduction to Hep₂O plumbing and heating systems	2
Hep₂O flexible plumbing	3-13
Polybutylene pipe	3
Demountable fittings	4-5
Flexible tap connectors	6-7
Auxiliary fittings	8-11
Tools, fixings and accessories	12-13
Conduit system	13
Hep₂O underfloor heating	14-19
UFH – Polybutylene pipe	14
UFH – Floor systems	14
UFH – Room packs	15
UFH – Dry construction products	16
UFH – Manifolds and Control systems	17-19
Osma Hep_vO	20
Hygienic self-sealing waste valves – Polypropylene	20
Numerical index	21-22
Notes	23
Important notes	24

Introduction to

Hep₂O

Plumbing and Heating Systems

Hep₂O Flexible Push-fit Plumbing has been developed in response to installer feedback, and has a number of unique and innovative features and benefits including;

- In4Sure joint recognition – tells you when the pipe is in.
- Secure demounting with the new HepKey system.
- New, improved SmartSleeve stays captive in the pipe.
- 50 year industry leading guarantee.
- Flexible pipe which comes off the coil straight.



Hep₂O Underfloor Heating has a wide range of systems for any floor type. See www.hep2oufh.co.uk for details.

Hep₂O is Kitemarked to Class S of BS 7291, parts 1 and 2 and is manufactured within a Quality Management System which satisfies BS EN ISO 9002.

Hep₂O is also approved by **WRAS** (certificate 1901900) – deemed safe for use in the supply of drinking water.

Hep₂O Guarantee

As a result of its rigorous Quality Management programme, **Hep₂O** carries a 50 year guarantee against defect in materials or manufacturing of all its pipe and fittings.

Prices are for individual items within a pack unless otherwise stated.

Symbols

British Standards Kitemark

Identifies pipe and fittings which are manufactured under the BSI Kitemark Certification Scheme.

Important note: Fittings of all product ranges must be ordered in their pack multiples as illustrated in price list.

Hep₂O fittings are pre-lubricated, no additional lubrication is required. DO NOT use any flux, jointing compound or non Hep₂O lubricant on Hep₂O fittings.




Email: info@hep2o.co.uk

Web: www.hep2o.co.uk

 @hep2o

Hep₂O Flexible Plumbing

Polybutylene pipe











Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Plumbing and Underfloor Heating Pipe				
	Coils – Barrier				
	Please Note: Order pipe by unit (coil) not by metre				
	25m ♥	10	HXX25/10W	1	58.43
	50m ♥	10	HXX50/10W	1	115.09
	100m ♥	10	HXX100/10W	1	226.73
	10m ♥	15	HXX10/15W	1	27.51
	25m ♥	15	HXX25/15W	1	68.73
	50m ♥	15	HXX50/15W	1	136.03
	80m ♥	15	HXX80/15W	1	217.63
	100m ♥	15	HXX100/15W	1	267.84
	120m ♥	15	HXX120/15W	1	321.42
	10m ♥	22	HXX10/22W	1	53.68
	25m ♥	22	HXX25/22W	1	134.17
	50m ♥	22	HXX50/22W	1	265.66
	10m ♥	28	HXX10/28W	1	72.36
	25m ♥	28	HXX25/28W	1	180.90
	50m ♥	28	HXX50/28W	1	360.10
	Straight Lengths – Barrier				
	3m ♥	15	HXX03/15W	10	8.61
	3m ♥	22	HXX03/22W	10	16.85
	3m ♥	28	HXX03/28W	10	23.11
	6m ♥	15	HXX06/15W	40	17.77
	6m ♥	22	HXX06/22W	20	34.87
	6m ♥	28	HXX06/28W	12	47.55
	Pipe in Pipe System				
	Coil of Hep₂O Barrier Pipe in Blue or Red Conduit				
	Please Note: Order pipe by unit (coil) not by metre				
	50m ♥	10	HXXC5010 BU	1	239.03
	50m ♥	10	HXXC5010 RD	1	239.03
	50m ♥	15	HXXC5015 BU	1	274.85
	50m ♥	15	HXXC5015 RD	1	274.85
	50m ♥	22	HXXC5022 BU	1	422.78
	50m ♥	22	HXXC5022 RD	1	422.78
	25m ♥	28	HXXC2528 BU	1	348.06
	25m ♥	28	HXXC2528 RD	1	348.06

Important Note:










Order pipe by unit (length) not by metre. Cut lengths only available as pack quantities.

Hep₂O Flexible Plumbing

Demountable fittings

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Straight Connector				
	♥	10	HD1/10W	10	4.40
	♥	15	HD1/15W	10	2.63
	♥	22	HD1/22W	10	3.70
	♥	28	HD1/28W	5	10.65
	Elbow 90°				
	♥	10	HD5/10W	10	4.98
	♥	15	HD5/15W	10	3.20
	♥	22	HD5/22W	10	4.69
	♥	28	HD5/28W	5	12.75
	Equal Tee				
	♥	10	HD10/10W	10	6.15
	♥	15	HD10/15W	10	4.49
	♥	22	HD10/22W	10	6.15
	♥	28	HD10/28W	5	17.60
	Demountable Stop-End				
	♥	10	HD62/10W	10	3.90
	♥	15	HD62/15W	10	3.49
	♥	22	HD62/22W	10	4.40
	♥	28	HD62/28W	5	7.32
	SmartSleeve Pipe Support				
		10	HX60/10W	20	0.57
		15	HX60/15W	50	0.58
		22	HX60/22W	50	0.75
		28	HX60/28W	20	1.11
	Spigot Elbow 90°				
	Single Socket				
	♥	10	HD4/10W	5	4.98
	♥	15	HD4/15W	5	3.37
	♥	15x10	HD4A/15W	5	4.98
	♥	22	HD4/22W	5	4.98
	Socket Reducer				
	15 x 10mm ♥	15	HD2/15W	10	4.56
	22 x 15mm ♥	22	HD2/22W	10	3.53
	28 x 22mm ♥	28	HD2/28W	5	8.54
	Socket/Socket Reducer				
	15 x 10mm ♥	15	HD3B/15W	10	8.28
	22 x 15mm ♥	22	HD3B/22W	10	7.21
	22 x 10mm ♥	22	HD3C/22W	10	8.28
	Obtuse Bend 135° Single Socket				
	♥	10	HD8/10W	5	5.38
	♥	15	HD8/15W	5	3.73
	♥	22	HD8/22W	5	5.38
	End Reduced Tee				
	22 x 15 x 22mm ♥	22	HD12/22W	5	6.51
	28 x 22 x 28mm ♥	28	HD12/28W	5	17.60






Important Note: All fittings are pre-lubricated - no additional lubrication required.
Hep₂O fittings are fully compatible with Hep₂O and copper pipe.

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Double End Reduced Tee				
	10 x 10 x 15mm ♡	15	HD18/15W	5	6.51
	10 x 10 x 22mm ♡	22	HD18A/22W	5	6.88
	15 x 15 x 22mm ♡	22	HD18/22W	5	6.51
	22 x 22 x 28mm ♡	28	HD18/28W	5	17.60
	Branch Reduced Tee				
	15 x 15 x 10mm ♡	15	HD13/15W	5	6.51
	22 x 22 x 10mm ♡	22	HD13A/22W	5	6.51
	22 x 22 x 15mm ♡	22	HD13/22W	5	6.51
	28 x 28 x 15mm ♡	28	HD13A/28W	5	17.60
	28 x 28 x 22mm ♡	28	HD13/28W	5	17.60
	Branch Reduced Tee – Spigot				
	15 x 15 x 10mm ♡	15	HD15/15W	5	6.51
	22 x 22 x 15mm ♡	22	HD15/22W	5	6.51
	Branch and One End Reduced Tee				
	15 x 10 x 10mm ♡	15	HD14/15W	5	6.51
	22 x 10 x 10mm ♡	22	HD14A/22W	5	6.51
	22 x 15 x 15mm ♡	22	HD14/22W	5	6.51
	28 x 22 x 22mm ♡	28	HD14/28W	5	17.60
	Blanking Peg				
	For demountable Hep2O fittings ♡	10	HX44/10W	10	1.38
	♡	15	HX44/15W	10	1.61
	♡	22	HX44/22W	10	1.61
	♡	28	HX44/28W	10	1.93
	Tank Connector				
	with BSP tail & backnut (For cold water use only)				
	BSP 1/2"	15	HX20/15W	5	3.80
	BSP 3/4"	22	HX20/22W	5	4.78
	BSP 1" (brass body)	28	HX20/28W	5	21.41
	Straight Tap Connector				
	with brass nut and alternative rubber washer				
	BSP 1/2" ♡ *	15	HD25A/15W	10	4.58
	BSP 3/4" ♡ *	15	HD25B/15W	5	5.41
	BSP 3/4" ♡ *	22	HD25B/22W	5	5.85
	Bent Tap Connector				
	with brass nut and alternative rubber washer				
	BSP 1/2" ♡ *	15	HD27/15W	5	5.05
	Hand-Titan™ Tap Connector				
	with rubber washer				
	BSP 1/2" ♡ *	10	HD26A/10W	5	4.64
	BSP 1/2" ♡ *	15	HD26A/15W	5	3.86
	BSP 3/4" ♡ *	15	HD26B/15W	5	4.64
	BSP 3/4" ♡ *	22	HD26B/22W	5	5.02


* For intermittent hot and cold water use up to a maximum of 65°C.
Not for use with central heating.

Hep₂O Flexible Plumbing

Flexible tap connectors

	Description	Nom dia mm	Cat no	Pack qty	Hose type	Price £ per piece
	Hep₂O x BSP Nut with brass nut and rubber washer					
	150mm BSP 1/2" *	15	HD425A/15W	2	Braided	7.56
	300mm BSP 1/2" *	15	HD125A/15W	2	Braided	7.98
	300mm BSP 3/4" *	15	HD125B/15W	2	Braided	9.45
	300mm BSP 3/4" (full bore) *	22	HD125C/22W	2	Braided	16.26
	300mm BSP 3/4" *	22	HD125B/22W	2	Braided	9.45
	500mm BSP 1/2" *	15	HD225A/15W	2	Braided	10.94
	500mm BSP 3/4" *	15	HD225B/15W	2	Braided	12.36
	500mm BSP 3/4" (full bore) *	22	HD225C/22W	2	Braided	18.98
	500mm BSP 3/4" *	22	HD225B/22W	2	Braided	13.15
	1000mm BSP 1/2" *	15	HD325A/15W	2	Braided	19.87
	1000mm BSP 3/4" *	22	HD325B/22W	1	Braided	24.24
	Hep₂O x Hep₂O					
	300mm 15mm x 15mm *	15	HD125H/15W	2	Braided	9.38
	300mm 22mm x 22mm *	22	HD125H/22W	2	Braided	11.48
	500mm 15mm x 15mm *	15	HD225H/15W	2	Braided	13.74
	500mm 22mm x 22mm *	22	HD225H/22W	2	Braided	15.87
	Hep₂O x Elbow BSP Nut with brass nut and rubber washer					
	300mm Elbow BSP 1/2" *	15	HD125D/15W	2	Braided	10.13
	Hep₂O Brass Service Valve x BSP Nut with brass nut and rubber washer					
	300mm BSP 1/2" *	15	HD125E/15W	2	Braided	21.70
	300mm BSP 3/4" *	22	HD125E/22W	2	Braided	40.78
	500mm BSP 1/2" *	15	HD225E/15W	2	Braided	23.75
	500mm BSP 3/4" *	15	HD225I/15W	2	Braided	26.13
	500mm BSP 3/4" *	22	HD225E/22W	2	Braided	44.48
	Hep₂O Brass Service Valve (Handle) x BSP Nut with brass nut and rubber washer					
	300mm BSP 1/2" *	15	HD125EH/15W	2	Braided	21.70
	300mm BSP 3/4" *	22	HD125EH/22W	2	Braided	40.78

* For intermittent hot and cold water use up to a maximum of 65°C.
Not for use with central heating.












Description		Nom dia mm	Cat no	Pack qty	Hose type	Price £ per piece
	Hep2O x Monobloc Mixers					
	300mm 15mm x M10 *	15	HD125F/15W •	Pair	Braided	14.29
	300mm 15mm x M12 *	15	HD125G/15W •	Pair	Braided	14.29

• Sold and priced as a pair.

Hep₂O Flexible Plumbing

Auxiliary fittings

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Adaptor Male BSP/Hep ₂ O socket DZR Brass				
	BSP 1/2" ♥	10	HX29/10W	10	7.52
	BSP 1/2" ♥	15	HX29/15W	10	7.32
	BSP 3/4" ♥	22	HX29/22W	10	10.51
	BSP 1" ♥	28	HX29/28W	5	19.97
	Adaptor Female BSP/Hep ₂ O socket DZR Brass				
	BSP 1/2" ♥	10	HX28/10W	10	7.52
	BSP 1/2" ♥	15	HX28/15W	10	7.32
	BSP 3/4" ♥	15	HX24/15W	10	10.51
	BSP 3/4" ♥	22	HX28/22W	10	10.51
	BSP 1" ♥	28	HX28/28W	5	20.66
	Adaptor Male BSP/Hep ₂ O spigot DZR Brass				
	BSP 1/2" ♥	15	HX31/15W	10	4.07
	BSP 3/4" ♥	22	HX31/22W	10	6.72
	BSP 1" ♥	28	HX31/28W	5	9.86
	Adaptor Female BSP/Hep ₂ O spigot DZR Brass				
	BSP 1/2" ♥	15	HX30/15W	10	3.99
	BSP 3/4" ♥	22	HX30/22W	10	6.72
	BSP 1" ♥	28	HX30/28W	5	9.86
	Draincock Brass 15mm spigot DZR Brass ♥	15	HX32/15 GY	10	7.32
	Adaptor Converts 1/2" tap connector to 3/4" DZR Brass BSP 1/2"x 3/4" ♥		HX39 GR	10	3.79
	Wall Plate Elbow Hep ₂ O				
	BSP 1/2" ♥	15	HX6/15W	5	11.29
	BSP 3/4" ♥	22	HX6/22W	5	12.27
	Ball Valve Plated Brass (suitable for central heating use)				
	15x15mm	15	HX22/15W	5	14.46
	22x22mm	22	HX22/22W	5	18.87
	Gate Valve DZR Brass – Hep ₂ O ends (suitable for central heating use)				
		15	HX35/15W	5	11.45
		22	HX35/22W	5	16.31
	Stopcock – Cold Water fitted with Hep ₂ O ends				
		15	HX36/15W	5	11.52
		22	HX36/22W	5	13.77


	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Stopcock – Cold Water Hep20 to MDPE Conversion 22mm to 25mm MDPE	22	HX43/22W	5	24.45
	Shut-off Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX37/15W	5	8.14
	Appliance Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX38/15W	5	7.52
	Straight Service Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX18/15W	5	8.65
	Angled Service Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX19/15W	5	8.66
	Double-Check Valve Plastics NB: •SEE USAGE NOTE	15	HX72/15W	1	19.35
	Two Port Manifold 22x15mm ports Closed Spigot ♡	22	HX88/22W	5	8.78
	Two Port Manifold 22x15mm ports All socket ♡	22	HX88B/22W	5	9.07
	Three Port Manifold 22x15mm ports Closed spigot ♡	22	HX89/22W	5	11.79
	Three Port Manifold 22x15mm ports All socket ♡	22	HX89B/22W	5	12.22
	Two Port Manifold 22x10mm ports All socket ♡	22	HX92B/22W	5	9.61





***For intermittent hot and cold water use up to a maximum of 65°C.
Not for use with central heating.**

•For cold water use only.

Hep₂O Flexible Plumbing


Auxiliary fittings




	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Four Port Manifold 22x10mm ports All socket ♡	22	HX94B/22W	5	12.22
	Two Port Manifold 22x10mm ports Socket and closed spigot ♡	22	HX92/22W	5	8.78
	Four Port Manifold 22x10mm ports Socket and closed spigot ♡	22	HX94/22W	5	11.79
	Four Port Manifold 22x10mm ports Socket and closed spigot, on one side ♡	22	HX96/22W	5	13.48
	Four Port Manifold 22x10mm ports All socket, on one side ♡	22	HX96B/22W	5	13.48
	One Port Valved Manifold Plated Brass 3/4" BSP Male/female 22mm Hep ₂ O port ♡	22	HX91T/22W	1	24.55
	Two Port Valved Manifold Plated Brass 3/4" BSP Male/female 15mm Hep ₂ O ports ♡	15	HX92T/15W	1	41.24
	Three Port Valved Manifold Plated Brass 3/4" BSP Male/female 15mm Hep ₂ O ports ♡	15	HX93T/15W	1	60.47
	Four Port Valved Manifold Plated Brass 3/4" BSP male/female. 15mm Hep ₂ O ports ♡	15	HX94T/15W	1	82.56
	Manifold End Caps 3/4" BSP Female End Cap 3/4" BSP Male End Cap		HX97 GY HX98 GY	5 5	3.59 4.17
	Manifold Bracket – Pair for HX92T/15, HX93T/15 and HX94T/15		HX95A GR	1	23.64

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Radiator Outlet Back Box Plastic (for stud wall)		HX109 GY	5	3.80
	Radiator Outlet Back Box Metal (for solid wall)		HX110 GY	5	3.19
	Radiator Outlet Cover with Flap For use with HX109 and HX110		HX113 WH	5	8.35
	Back Box Grommet For use with HX110		HX112 GY	50	0.21






Hep₂O Flexible Plumbing

Tools, fixings and accessories

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	HepKey Plus Demounting Tool	10	HX79/10W	10	0.40
		15	HX79/15W	10	0.46
		22	HX79/22W	10	0.46
		28	HX79/28W	10	0.51
	HepKey Demounting Tool	10	HX78/10W	10	0.35
		15	HX78/15W	10	0.40
		22	HX78/22W	10	0.40
		28	HX78/28W	10	0.45
	HepTool Demounting Tool				
	10/28mm	10	HX77/10W	10	2.40
	15/22mm	15	HX77/15W	10	1.97
	Cold Forming Bend Fixture Metal with passivate finish	15	HX75/15 GR	5	2.46
		22	HX75/22 GR	5	3.45
	Pipe Cutter – Scissor Type Standard		HD74 GR	1	20.33
	Pro Cutter		HD75 GR	1	50.10
	Pipe Cutter – Ratchet Type				
	up to 42mm pipe		HD77 GR	1	73.86
	up to 28mm pipe		HD78 GR	1	51.26
	Hep₂O Joint Test Kit Hep ₂ O Joint Test Kit		HX81 GR	1	587.52
	Pipe Clips – Screw	15	HX85/15W	50	0.38
		22	HX85/22W	50	0.38
		28	HX85/28W	50	0.62
	Pipe Clip – Spacers	15	HX86/15W	20	0.28
		22	HX86/22W	20	0.38
	Pipe Clip Cable Type	10	HX65/10W	50	0.23
		15	HX65/15W	50	0.38
		22	HX65/22W	50	0.38
		28	HX65/28W	50	0.46


Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Hep₂O Silicone Lubricant Spray 400ml aerosol can Hep ₂ O fittings		HX200	1	13.97
	Flat Tap Connector Washers – Rubber	15	HX58/15 GY	20	p/pack 5.37
		22	HX58/22 GY	20	p/pack 5.37
	Conical Tap Connector Washers – Rubber	15	HX57/15 GR	20	p/pack 5.37
		22	HX57/22 GR	20	p/pack 5.37

Conduit system

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Conduit Pipe				
	25.0m	15	HXC25/15 BL	1	42.72
	50.0m	15	HXC50/15 BL	1	85.51
	25.0m	22	HXC25/22 BL	1	53.45
	Conduit Junction Box		HX100 BL	1	7.09
	Conduit Junction Box Lid		HX104 BL	1	2.37
	Conduit Terminal	15	HX101/15W	2	9.87
	Terminal Back Plate		HX103 BL	1	1.97




Hep₂O Underfloor Heating

UFH – Polybutylene pipe

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Underfloor Heating Pipe				
	Coils – Barrier				
	Please Note: Order pipe by unit (coil) not by metre				
	25m ♥	10	HXX25/10W	1	58.43
	50m ♥	10	HXX50/10W	1	115.09
	70m ♥	10	HXX70/10W	1	160.11
	100m ♥	10	HXX100/10W	1	226.73
	10m ♥	15	HXX10/15W	1	27.51
	25m ♥	15	HXX25/15W	1	68.73
	50m ♥	15	HXX50/15W	1	136.03
	80m ♥	15	HXX80/15W	1	217.63
	100m ♥	15	HXX100/15W	1	267.84
	120m ♥	15	HXX120/15W	1	321.42

Important Note: Order pipe by unit (length) not by metre.

UFH – Floor systems

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Staple System				
	Staples 60mm for 15mm UFH Pipe	15	15UH231	300	0.11
	Staple Gun (40/60mm)	15	15UH237	1	455.54
	System Plate System				
	System Plate (1275 x 975mm)	10	10UH232	16	14.11
	(1275 x 975mm)	15	15UH232	18	14.11
	System Plate Tack Fastener		15UH238	25	0.40
	System Ancillaries				
	Edge Expansion Foam (25.0m x 150mm)		15UH234	1	35.28

Hep₂O Underfloor Heating

UFH – Room packs

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
UFH Room Packs				
12m ²	15	15UKPK1	1	965.19
18m ²	15	15UKPK2	1	993.42
24m ²	15	15UKPK3	1	1027.29



Underfloor heating room packs

Contents:





- ⌚ 15mm UFH Pipe Coil
- ⌚ 300 Pipe Staples
- ⌚ 25m Roll of Edge Expansion Foam
- ⌚ Programmable Thermostat
- ⌚ 2 x Isolation Valves
- ⌚ Flow Watch Thermostat
- ⌚ Control Pack
- ⌚ Single Circuit Fittings Pack

Contains everything you need for a new screeded floor













Hep₂O Underfloor Heating

UFH – Dry construction products

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
Panel Systems					
	Low-Build Panel 15x600x1200mm	10	10UH601	10	44.48
	Low-Build Max – Straight Panel 15x600x1200mm	10	10UH602	10	48.87
	15x600x1200mm	10	10UH603	30	46.69
	Low-Build Max – Return Panel 15x300x138mm	10	10UH604	10	16.39
	Low-Build Max – Channel Panel 15x600x150mm	10	10UH600	10	20.38
	Floating Floor Panel – 25mm 600x1200mm	15	15UH608	10	29.24
	Joist Panel – 50mm 340x1200mm	15	15UH610	10	27.38
	L Bracket – Inter Joist Panel		15UH612	1	3.16
Diffuser Plates					
	Double Diffuser Plate – 15mm 1000x390mm	15	15UH605	10	13.43
	Single Diffuser Plate – 15mm 1000x140mm	15	15UH606	10	5.75












Hep₂O Underfloor Heating

UFH – Manifolds and Control systems












	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Manifolds					
	Manifold Control Pack A Rated		15UH512	1	412.27
	Composite Manifold – Starter Pack ▲		15UH510	1	121.40
	Composite Manifold – One Port Pack includes 15mm Euroconus Adaptor ▲	15	15UH511	1	47.30
	Composite Manifold – Three Port Pack includes 15mm Euroconus Adaptor ▲	15	15UH513	1	124.57
	Composite Manifold 22mm Isolation Valves (pair)	22	15UH211	2	p/pack 37.82
	1"x15mm Female Brass Adaptor	15	15UH607	5	19.68
	Cold Forming Bend Fixture Metal with passivate finish	15	HX75/15 GR	5	2.46
	Pipe Clips – Screw	15	HX85/15W	50	0.38
	Ball Valves Stainless 1" (pair)	15	15UH550	1	69.21
	Thermometer for Ball valves	15	15UH565	1	7.22

Hep₂O Underfloor Heating

UFH – Manifolds and Control systems





Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Stainless Manifold*				
	2 port	15	15UH552	1	201.68
	3 port	15	15UH553	1	241.44
	4 port	15	15UH554	1	282.18
	5 port	15	15UH555	1	334.37
	6 port	15	15UH556	1	367.38
	7 port	15	15UH557	1	406.74
	8 port	15	15UH558	1	479.05
	9 port	15	15UH559	1	527.46
	10 port	15	15UH560	1	575.07
	11 port	15	15UH561	1	634.03
	12 port	15	15UH562	1	668.30
	Manifold – Euroconus Adaptor 10x1.7 (pair)	10	10UH529	1	10.80
	Manifold – Euroconus Adaptor 15x1.8 (pair)	15	15UH529	1	10.80
	Manifold – Euroconus Adaptor 16x1.8 (pair)	16	16UH529	1	10.80
	Actuator adaptor VA50 (pair)		15UH569	1	2.12
	Single Way kit flow-ret Manifold Stainless	15	15UH551	1	136.25
	Coupling 1" Female – Female Stainless (pair)	15	15UH567	1	46.52
	Auto Airvent with non-return Stainless	15	15UH568	1	7.79
	Thermometer with Spring		15UH566	1	6.82
Digital Controls					
	Single Zone Control Centre		15UH311	1	78.35
	8 Zone Wireless Control Centre		15UH308	1	244.27

*Each stainless steel manifold requires the correct quantity of actuator adaptors (15UH569) and euroconus adaptors (10UH529, 15UH529 or 16UH529) depending on the actuator size and pipe being used.

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Dial Thermostat (wired)		15UH472	1	51.87
	NeoAir V2 Wireless Thermostat (white)		15UH385	1	134.31
	NeoAir V2 Wireless Thermostat (black)		15UH386	1	134.31
Mains Controls					
	8 Zone Control Centre (230v)		15UH408	1	142.50
	230V Actuator (for use with 15UH408 & 15UH308)		15UH402	1	30.37
	Flow Watch Thermostat (for use with 15UH408 & 15UH308)		15UH524	1	36.12
	NeoStat (white)		15UH475	1	134.31
	NeoStat (black)		15UH476	1	134.31
	Remote Sensor Probe		15UH495	1	18.09
	Remote Sensor Probe Cover		15UH494	1	9.52
	neoHub		15UH492	1	253.07

Osma Hep_vO Waste

Hygienic self-sealing waste valves – Polypropylene

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Hep_vO Hygienic Self Sealing Waste Valve	32	BV1 WH	10	34.58
	Hep _v O Valve	40	CV1 WH	10	34.58
	Hep_vO Knuckle Adaptor	32	BV11 WH	10	8.73
	Hep _v O 87.5° Knuckle Adaptor	40	CV11 WH	10	8.73
	Hep_vO Running Adaptor	32	BV3 WH	10	8.32
	For installing Hep _v O in a pipe run	40	CV3 WH	10	8.32
	Hep_vO Tundish Adaptor Hep _v O Tundish Adaptor Kit	32	BV1/21 WH	5	46.75

* Hep_vO is sold subject to Osma commercial conditions.

Numerical index

Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no
10UH601	44.48	16	15UKPK2	993.42	15	HD26A/15W	3.86	5
10UH232	14.11	14	15UKPK3	1027.29	15	HD26B/15W	4.64	5
10UH529	10.80	18	16UH529	10.80	18	HD26B/22W	5.02	5
10UH600	20.38	16	BV1/21 WH	46.75	20	HD27/15W	5.05	5
10UH602	48.87	16	BV1 WH	34.58	20	HD62/10W	3.90	4
10UH603	46.69	16	BV3 WH	8.32	20	HD62/15W	3.49	4
10UH604	16.39	16	BV11 WH	8.73	20	HD62/22W	4.40	4
15UH211 p/pack	37.82	17	CV1 WH	34.58	20	HD62/28W	7.32	4
15UH231	0.11	14	CV3 WH	8.32	20	HD74 GR	20.33	12
15UH232	14.11	14	CV11 WH	8.73	20	HD75 GR	50.10	12
15UH234	35.28	14	HD1/10W	4.40	4	HD77 GR	73.86	12
15UH237	455.54	14	HD1/15W	2.63	4	HD78 GR	51.26	12
15UH238	0.40	14	HD1/22W	3.70	4	HD125A/15W	7.98	6
15UH308	244.27	18	HD1/28W	10.65	4	HD125B/15W	9.45	6
15UH311	78.35	18	HD2/15W	4.56	4	HD125B/22W	9.45	6
15UH385	134.31	19	HD2/22W	3.53	4	HD125C/22W	16.26	6
15UH386	134.31	19	HD2/28W	8.54	4	HD125D/15W	10.13	6
15UH402	30.37	19	HD3B/15W	8.28	4	HD125E/15W	21.70	6
15UH408	142.50	19	HD3B/22W	7.21	4	HD125E/22W	40.78	6
15UH472	51.87	19	HD3C/22W	8.28	4	HD125EH/15W	21.70	6
15UH475	134.31	19	HD4/10W	4.98	4	HD125EH/22W	40.78	6
15UH476	134.31	19	HD4/15W	3.37	4	HD125F/15W •	14.29	7
15UH492	253.07	19	HD4/22W	4.98	4	HD125G/15W •	14.29	7
15UH494	9.52	19	HD4A/15W	4.98	4	HD125H/15W	9.38	6
15UH495	18.09	19	HD5/10W	4.98	4	HD125H/22W	11.48	6
15UH510	121.40	17	HD5/15W	3.20	4	HD225A/15W	10.94	6
15UH511	47.30	17	HD5/22W	4.69	4	HD225B/15W	12.36	6
15UH512	412.27	17	HD5/28W	12.75	4	HD225B/22W	13.15	6
15UH513	124.57	17	HD8/10W	5.38	4	HD225C/22W	18.98	6
15UH524	36.12	19	HD8/15W	3.73	4	HD225E/15W	23.75	6
15UH529	10.80	18	HD8/22W	5.38	4	HD225E/22W	44.48	6
15UH550	69.21	17	HD10/10W	6.15	4	HD225H/15W	13.74	6
15UH551	136.25	18	HD10/15W	4.49	4	HD225H/22W	15.87	6
15UH552	201.68	18	HD10/22W	6.15	4	HD225I/15W	26.13	6
15UH553	241.44	18	HD10/28W	17.60	4	HD325A/15W	19.87	6
15UH554	282.18	18	HD12/22W	6.51	4	HD325B/22W	24.24	6
15UH555	334.37	18	HD12/28W	17.60	4	HD425A/15W	7.56	6
15UH556	367.38	18	HD13/15W	6.51	5	HX6/15W	11.29	8
15UH557	406.74	18	HD13/22W	6.51	5	HX6/22W	12.27	8
15UH558	479.05	18	HD13/28W	17.60	5	HX18/15W	8.65	9
15UH559	527.46	18	HD13A/22W	6.51	5	HX19/15W	8.66	9
15UH560	575.07	18	HD13A/28W	17.60	5	HX20/15W	3.80	5
15UH561	634.03	18	HD14/15W	6.51	5	HX20/22W	4.78	5
15UH562	668.30	18	HD14/22W	6.51	5	HX20/28W	21.41	5
15UH565	7.22	17	HD14/28W	17.60	5	HX22/15W	14.46	8
15UH566	6.82	18	HD14A/22W	6.51	5	HX22/22W	18.87	8
15UH567	46.52	18	HD15/15W	6.51	5	HX24/15W	10.51	8
15UH568	7.79	18	HD15/22W	6.51	5	HX28/10W	7.52	8
15UH569	2.12	18	HD18/15W	6.51	5	HX28/15W	7.32	8
15UH605	13.43	16	HD18/22W	6.51	5	HX28/22W	10.51	8
15UH606	5.75	16	HD18/28W	17.60	5	HX28/28W	20.66	8
15UH607	19.68	17	HD18A/22W	6.88	5	HX29/10W	7.52	8
15UH608	29.24	16	HD25A/15W	4.58	5	HX29/15W	7.32	8
15UH610	27.38	16	HD25B/15W	5.41	5	HX29/22W	10.51	8
15UH612	3.16	16	HD25B/22W	5.85	5	HX29/28W	19.97	8
15UKPK1	965.19	15	HD26A/10W	4.64	5	HX30/15W	3.99	8

Numerical index

Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no
HX30/22W	6.72	8	HX92/22W	8.78	10	HXXC2528 BU	348.06	3
HX30/28W	9.86	8	HX92B/22W	9.61	9	HXXC2528 RD	348.06	3
HX31/15W	4.07	8	HX92T/15W	41.24	10	HXXC5010 BU	239.03	3
HX31/22W	6.72	8	HX93T/15W	60.47	10	HXXC5010 RD	239.03	3
HX31/28W	9.86	8	HX94/22W	11.79	10	HXXC5015 BU	274.85	3
HX32/15 GY	7.32	8	HX94B/22W	12.22	10	HXXC5015 RD	274.85	3
HX35/15W	11.45	8	HX94T/15W	82.56	10	HXXC5022 BU	422.78	3
HX35/22W	16.31	8	HX95A GR	23.64	10	HXXC5022 RD	422.78	3
HX36/15W	11.52	8	HX96/22W	13.48	10			
HX36/22W	13.77	8	HX96B/22W	13.48	10			
HX37/15W	8.14	9	HX97 GY	3.59	10			
HX38/15W	7.52	9	HX98 GY	4.17	10			
HX39 GR	3.79	8	HX100 BL	7.09	13			
HX43/22W	24.45	9	HX101/15W	9.87	13			
HX44/10W	1.38	5	HX103 BL	1.97	13			
HX44/15W	1.61	5	HX104 BL	2.37	13			
HX44/22W	1.61	5	HX109 GY	3.80	11			
HX44/28W	1.93	5	HX110 GY	3.19	11			
HX57/15 GRp/pack	5.37	13	HX112 GY	0.21	11			
HX57/22 GRp/pack	5.37	13	HX113 WH	8.35	11			
HX58/15 GYp/pack	5.37	13	HX200	13.97	13			
HX58/22 GYp/pack	5.37	13	HXC25/15 BL	42.72	13			
HX60/10W	0.57	4	HXC25/22 BL	53.45	13			
HX60/15W	0.58	4	HXC50/15 BL	85.51	13			
HX60/22W	0.75	4	HXC50/22 BL	106.35	13			
HX60/28W	1.11	4	HXX03/15W	8.61	3			
HX65/10W	0.23	12	HXX03/22W	16.85	3			
HX65/15W	0.38	12	HXX03/28W	23.11	3			
HX65/22W	0.38	12	HXX06/15W	17.77	3			
HX65/28W	0.46	12	HXX06/22W	34.87	3			
HX72/15W	19.35	9	HXX06/28W	47.55	3			
HX75/15 GR	2.46	12	HXX10/15W	27.51	14			
HX75/15 GR	2.46	17	HXX10/22W	53.68	3			
HX75/22 GR	3.45	12	HXX10/15W	27.51	3			
HX77/10W	2.40	12	HXX10/28W	72.36	3			
HX77/15W	1.97	12	HXX25/10W	58.43	3			
HX78/10W	0.35	12	HXX25/10W	58.43	14			
HX78/15W	0.40	12	HXX25/15W	68.73	3			
HX78/22W	0.40	12	HXX25/15W	68.73	14			
HX78/28W	0.45	12	HXX25/22W	134.17	3			
HX79/10W	0.40	12	HXX25/28W	180.90	3			
HX79/15W	0.46	12	HXX50/10W	115.09	3			
HX79/22W	0.46	12	HXX50/10W	115.09	14			
HX79/28W	0.51	12	HXX50/15W	136.03	3			
HX81 GR	587.52	12	HXX50/15W	136.03	14			
HX85/15W	0.38	12	HXX50/22W	265.66	3			
HX85/15W	0.38	17	HXX50/28W	360.10	3			
HX85/22W	0.38	12	HXX70/10W	160.11	14			
HX85/28W	0.62	12	HXX80/15W	217.63	3			
HX86/15W	0.28	12	HXX80/15W	217.63	14			
HX86/22W	0.38	12	HXX100/10W	226.73	3			
HX88/22W	8.78	9	HXX100/10W	226.73	14			
HX88B/22W	9.07	9	HXX100/15W	267.84	3			
HX89/22W	11.79	9	HXX100/15W	267.84	14			
HX89B/22W	12.22	9	HXX120/15W	321.42	3			
HX91T/22W	24.55	10	HXX120/15W	321.42	14			

Notes

Important notes

All purchases are subject to our standard terms and conditions of sale, available at **wavin.co.uk** or call for a copy.

Prices are subject to VAT at the current rate.

Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions. Users should satisfy themselves that products are suitable for the purpose and application intended.

Quality assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2015, Certificate No. 42231.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001: 2015.

Orders and enquiries

Tel: 0844 856 5152

For further information on our product ranges, see the following:

Wavin website

wavin.co.uk is the place to find overview of our ranges, individual item information (such as photo, dimensions, etc), literature via our download centre, news and events, blogs, online calculation tools, links to 'How to Videos' and more.

Download centre on wavin.co.uk

Visit our website download centre for electronic copies of:

- ① Product, Design and Installation Guides
- ① Price list
- ① Safety sheets
- ① Quality certificates
- ① CAD files, etc.

'How to' videos

To help you with your installation we have how-to videos available on our Youtube channel. These cover Hep₂O Plumbing and Underfloor heating and OSMA products.

Visit [youtube.com/WavinUK](https://www.youtube.com/WavinUK)



Online tools

We have a dedicated website for underfloor heating **www.hep2oufh.co.uk**. If you need a quotation for your project our online estimator will guide you through the process and provide a full list of products, heat outputs and list price estimate.



Find a stockist

Hep₂O is widely available throughout the UK. You can find your local distributors on our stockist locator at **www.wavin.co.uk**

Social media

Follow us on twitter, facebook and instagram for the latest updates, product news and competitions.



Contact

Orders and enquiries:
Complex technical queries:
Printed literature requests:
General enquires:

0844 856 5152
technical.design@wavin.co.uk
literature@wavin.co.uk
info@wavin.co.uk

Discover our broad portfolio at www.wavin.co.uk


Water management

Plumbing and heating

Waste water drainage

Water and gas distribution

Datacom



Wavin Limited

Registered Office

Edlington Lane

Doncaster | DN12 1BY

Tel. 0844 856 5152

www.wavin.co.uk | info@wavin.co.uk

